


8.35
8.31
8.15
8.13
7.97
7.95
7.92
7.92
7.89
7.88
7.58
7.57
7.56
7.55
7.55
7.54
7.53
7.52
7.50
7.48
6.56
6.52

3.33
2.45
2.45
2.44
2.44
2.43




```

NAME          xuyingxi
EXPNO         111
PROCNO        1
Date_         20170610
Time_         19.59
INSTRUM       spect
PROBHD        5 mm PABBO BB-
PULPROG       zg30
TD            32768
SOLVENT       DMSO
NS            20
DS            0
SWH           9980.040 Hz
FIDRES        0.304567 Hz
AQ            1.6417269 sec
RG            64
DW            50.100 usec
DE            6.00 usec
TE            297.3 K
D1            2.00000000 sec
TD0           1
  
```

```

===== CHANNEL f1 =====
NUC1          1H
P1            7.60 usec
PL1           -3.00 dB
SFO1         400.2030815 MHz
SI           16384
SF           400.2000230 MHz
WDW           EM
SSB           0
LB            0.00 Hz
GB            0
PC            1.00
  
```



16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0 ppm

0.70

1.00
1.04
3.07
3.17
1.07